

Landscape Lighting Brochure

2026

Firefly Lighting
9/29 Links Ave North, Eagle Farm. Brisbane QLD 4009 Australia

Introduction

Outdoor spaces deserve the same attention as the homes they surround. At Firefly Lighting, we infuse love into light.

It's about creating an experience that impacts people's wellbeing. Impacting emotions through light. We love enhancing people's moods and experiences which in turn makes people feel happier, safer, cosier and results in people engaging with environments not usually explored. Our philosophy is to design functional and sustainable products that provide the optimal solution for our customer's project design and installation.

Table of Contents

Spike Light Range **4-6**

Strap Light Range **8-9**

InGround and Cats Eye Light Range **11-16**

Underwater Light Range **18-19**

Wall, Step and Path Light Range **21-24**

Spike Light Range



2W Spike Light

Perfect for highlighting trees, sculptures, feature elements, or architectural details.

Page 4



3W Spike Light

Perfect for highlighting trees, sculptures, feature elements, or architectural details.

Page 5



6W Spike Light

Perfect for highlighting trees, sculptures, feature elements, or architectural details.


Page 6

2W Spike Light

2700K W

DESCRIPTION

Invite a delicate highlight into your garden's story—perfect for accentuating prized blooms, sculpted hedges, or intimate corners. The 2W spike light is small in stature but grand in performance, offering a warm, precise beam that brings pathways and planting beds to gentle life. Let every evening stroll reveal a new detail, as subtle layers of light whisper enchantment across your landscape.







- Note: All dimensions in mm

FEATURES

- Die Cast Aluminium Housing
- Hardened Plastic Spike

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	2.5W Consumption
IP65 Outdoor Rated	IK06 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-SP-2W-B	20º Beam Angle

3W Spike Light

2700K W

DESCRIPTION

Enhance any outdoor space with the versatile 3W Spike Light range. These fittings offer flexible lighting variations by providing 3 beam angle options - narrow, medium & wide. Make a dramatic statement or wash garden foliage with wide sweeps of warm white glow. Either way, every gathering or quiet moment is richer for the warmth this light range brings.







- Note: All dimensions in mm

FEATURES

- Black Powder-coated Die Cast Aluminium with Nautical Paint
- Honeycomb Lovre Glare Control
- Anti-wicking Ferrule
- Bevel Cut Hood
- 3.1mm Cable
- Stainless Steel Spike

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	3.5W Consumption
IP65 Outdoor Rated	IK06 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-SP-3W-N-B	9º Beam Angle
LS-SP-3W-M-B	30º Beam Angle
LS-SP-3W-W-B	45º Beam Angle

6W Spike Light

2700K W

DESCRIPTION

For those who dare to dream bigger, the 6W spike light reveals the full narrative of large signature trees, expansive architectural walls, or grand entryways. Its powerful reach and sculpted light invigorate and energize the night.







- Note: All dimensions in mm

FEATURES

- Black Powder-coated Die Cast Aluminium with Nautical Paint
- Honeycomb Lovre Glare Control
- Anti-wicking Ferrule
- Bevel Cut Hood
- 3.1mm Cable
- Stainless Steel Spike

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	6.5W Consumption
IP65 Outdoor Rated	IK06 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-SP-6W-M-B	28º Beam Angle

Strap Light Range



6W Strap Light

Perfect for highlighting trees, sculptures, feature elements, or architectural details.

Page 8



10W Strap Light

Perfect for highlighting trees, sculptures, feature elements, or architectural details.

Page 9


6W Strap Light

2700K W

DESCRIPTION

Transform the boughs of mature trees into ethereal landscapes, as the 6W strap light drapes warm illumination beneath leafy canopies. Perfect where permanent fixtures aren't possible, its gentle embrace protects living branches while revealing intricate textures and forms above.









Fixes to man made structures or mature tree limbs

24 Degrees





- Note: All dimensions in mm

FEATURES

- Black Powder-coated Die Cast Aluminium with Nautical Paint
- Honeycomb Lovre Glare Control
- Anti-wicking Ferrule
- Bevel Cut Hood

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	6.5W Consumption
IP65 Outdoor Rated	IK06 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-ST-6W-M-B	24º Beam Angle

10W Strap Light


2700K W

DESCRIPTION

For sweeping structural installations or larger treetops, the 10W strap light deliverers, casting expansive beams of illumination onto structure or throughout foliage.


Whether lighting the heart of a heritage fig or an artful arbour, turn outdoor gatherings into unforgettable occasions.








Fixes to man made structures or mature tree limbs





- Note: All dimensions in mm

FEATURES

- Black Powder-coated Die Cast Aluminium with Nautical Paint
- Honeycomb Lovre Glare Control
- Anti-wicking Ferrule
- Bevel Cut Hood
- 3.1mm Cable

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	11.5W Consumption
IP65 Outdoor Rated	IK06 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-ST-10W-N-B	15º Beam Angle
LS-ST-10W-M-B	25º Beam Angle

InGround and Cats Eye Light Range

2W InGround Light

Perfect for highlighting trees, sculptures, feature elements, or architectural details.

Page 11



8W InGround Light

Showcase everything from towering trees and flagpoles to garden sculptures, building façades, and retaining walls.

Page 12



24W InGround Light

Ideal for creating grand entrances, and highlighting prominent features or trees with a timeless, natural glow.

Page 13



24W RGBW InGround Light

Transform gardens, driveways, event spaces, or art installations with vibrant colour-changing effects or warm white light.

Page 14



2W Cats Eye Half Beam

Guides every step with subtle assurance, keeping journeys safe while adding a precise visual accent to the landscape

Page 15



2W Cats Eye Full Beam

Delivering 360-degree illumination, its four-directional output ensures every angle is evenly lit ensuring everyone finds their way.

Page 16



2W InGround Light

DESCRIPTION

Transform your outdoor spaces with the refined beauty of the 2W Inground Light range. Perfect for highlighting trees, sculptures, feature elements, or architectural details, these lights create both dramatic vertical accents and subtle, inviting foundations of light.







- Note: All dimensions in mm

FEATURES

- Black Powder-coated Die Cast Aluminium with Nautical Paint
- Honeycomb Lovre Glare Control
- Anti-wicking Ferrule
- Bevel Cut Hood

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	2.5W Consumption
IP65 Outdoor Rated	IK08* Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-IG-2W-N-B	15º Beam Angle
LS-IG-2W-M-B	30º Beam Angle

8W InGround Light

DESCRIPTION

Harness the versatility of the adjustable tilt internal directional control of the 8W Inground light range. Showcase everything from towering trees and flagpoles to garden sculptures, building façades, and retaining walls. These lights provide striking vertical highlights, reveal texture and form in both landscaped or architectural elements.








LUMINAIRE



HOUSING




Adjustable internal tilt



15º Narrow

30º Medium

50º Wide



- Note: All dimensions in mm

FEATURES

- Die Cast Aluminium Housing
- Honeycomb Louvre Glare Control
- Adjustable Tilt Control
- Anti-wicking Ferrule

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	7.8W Consumption
IP67 Outdoor Rated	IK10 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-IG-8W-N-B	15º Beam Angle
LS-IG-8W-M-B	30º Beam Angle
LS-IG-8W-W-B	50º Beam Angle

24W InGround Light

DESCRIPTION

Enhance your most ambitious outdoor spaces with the 24W Inground Light in warm white. Engineered to deliver powerful, consistent illumination, this fitting is ideal for creating grand entrances, and highlighting prominent features or trees with a timeless, natural glow.








LUMINAIRE




HOUSING



Adjustable internal tilt





- Note: All dimensions in mm

FEATURES

- Die Cast Aluminium Housing
- Honeycomb Louvre Glare Control
- Adjustable Tilt Control
- Anti-wicking Ferrule

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	24.5W Consumption
IP65 Outdoor Rated	IK06 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-IG-24W-N-B	15º Beam Angle
LS-IG-24W-M-B	30º Beam Angle
LS-IG-24W-W-B	50º Beam Angle

24W InGround Light

RGBW

DESCRIPTION

Unlock unparalleled creative freedom with the 24W Inground Light in RGBW. Dynamic and versatile, it empowers you to transform gardens, driveways, event spaces, or art installations with vibrant colour-changing effects or warm white light. Effortlessly synchronise lighting to mark special occasions, enhance ambience, or highlight architectural features.








LUMINAIRE




HOUSING



30° Medium

Adjustable internal tilt



- Note: All dimensions in mm

FEATURES

- Die Cast Aluminium Housing
- Honeycomb Louvre Glare Control
- Adjustable Tilt Control
- Anti-wicking Ferrule

24V Extra Low Voltage	Dimmable with PWM driver
Warm White Chip 2700K Colour Temp	27.5W Consumption
IP67 Outdoor Rated	IK10 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-IG-24W-M-E	30º Beam Angle

2W Cats Eye Half Beam

DESCRIPTION

Confidently delineate driveways, lanes, or pathway boundaries with intentionally focused beams of light. The half-beam cat eye guides every step with subtle assurance, keeping journeys safe while adding a precise visual accent to the landscape. Let patrons or guests know the way is always clear, marked by style as much as function.






LUMINAIRE



HOUSING



- Note: All dimensions in mm

FEATURES

- Die Cast Aluminium Housing
- Hardened Chrome Plated Stainless Steel 316 Marine Grade Top Cover
- Polycarbonate/ABS Blend Sleeve

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	2.5W Consumption
IP67 Outdoor Rated	IK10 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-CE-2W-H-B	Half(1 x 120º)

2W Cats Eye Full Beam

DESCRIPTION

Enhance visibility and wayfinding at crossings, gathering points, plazas or alfresco areas with the 2W Cat Eye Light. Delivering 360-degree illumination, its four-directional output ensures every angle is evenly lit ensuring everyone finds their way, no matter where they stand. Safety never looked so sexy.






LUMINAIRE








HOUSING





- Note: All dimensions in mm


FEATURES

- Die Cast Aluminium Housing
- Hardened Chrome Plated Stainless Steel 316 Marine Grade Top Cover
- Polycarbonate/ABS Blend Sleeve

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	2.5W Consumption
IP67 Outdoor Rated	IK10 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-CE-2W-F-B	Full (4 x 45º)

Underwater Light Range



Underwater Flood Light

Perfect for highlighting trees, sculptures, feature elements, or architectural details.

Page 18



Underwater Spot Light


Perfect for highlighting trees, sculptures, feature elements, or architectural details.

Page 19

Underwater Flood Light


DESCRIPTION

Enhances the look of aquatic environments at night. Where broad, even illumination is sought - this underwater flood light creates a blanket of warmth beneath the surface, while fountains and waterfalls dance playfully above.









- Note: All dimensions in mm



FEATURES

- Hard chrome-plated moulding
  Stainless Steel 316 Marine Grade

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	12W Consumption
IP68 Rated	IK07 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-UF-B	30º Beam Angle

Underwater Spot Light

DESCRIPTION


The underwater spot light delivers focused, warm illumination for pools, ponds and water features. Ideal for highlighting fountains, statues, or specific details beneath the water's surface, adding delight after dark. Create a striking, head-turning effect!











- Note: All dimensions in mm

FEATURES

- Hard chrome-plated moulding Stainless Steel 316 Marine Grade

24V Extra Low Voltage	Not Dimmable
2700K Colour Temp	8.1W Consumption
IP68 Rated	IK08 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-US-B	25º Beam Angle

Wall, Step and Path Light Range

Copper Eyelid Light

Ideal for creating grand entrances, and highlighting prominent features or trees with a timeless, natural glow.

Page 21



Stainless Steel Eyelid Light

Transform gardens, driveways, event spaces, or art installations with vibrant colour-changing effects or warm white light.


Page 22



Copper Path Light

Guides every step with subtle assurance, keeping journeys safe while adding a precise visual accent to the landscape


Page 23



Circular Wall Step Light

Delivering 360-degree illumination, its four-directional output ensures every angle is evenly lit ensuring everyone finds their way.

Page 24



Copper Eyelid Light


DESCRIPTION

Transform your exterior spaces with the enduring style of the copper eyelid wall light. Its solid copper body naturally develops a distinguished patina, adding depth and character year after year. The warm, soft glow creates an inviting atmosphere; perfect for entryways, walls, or pillars, welcoming guests time and time again with understated elegance.









- Note: All dimensions in mm

FEATURES

- Copper Over Stainless Steel Housing
- Tempered Glass Lens
- G4 Lamp Base

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	2.5W Consumption
IP54 Outdoor Rated	IK06 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-EL-CP	N/A


Stainless Steel Eyelid Light


DESCRIPTION

Declare a bold, modern statement with the enduring lustre of marine grade stainless steel. Contrast this with a warm even glow of illumination across stairways, architectural lines, or courtyard boundaries. Proud to make a statement, elegant by design and unwavering in performance.









- Note: All dimensions in mm

FEATURES

- Stainless Steel Housing
- Tempered Glass Lens
- G4 Lamp Base

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	2.5W Consumption
IP54 Outdoor Rated	IK06 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-EL-SS	N/A

Copper Path Light


DESCRIPTION


Enchant every moment in a garden or along a winding walkway with this beautifully crafted copper path light. Celebrate the charm of this magical showpiece with delight. Patina develops atop the pure copper season after season, bringing with it natural evolving character.














- Note: All dimensions in mm

FEATURES

- Copper Shade
- Solid Copper Post
- ABS Spike

24V Extra Low Voltage	**Not** Dimmable
2700K Colour Temp	IP54 Outdoor Rated
IK06 Impact Protection	Vandal Resistant
UV Stabilised	

Product Code	Beam Angle
LS-PL-CP	360º Beam Angle


Circular Wall Step Light


DESCRIPTION

Light your way with confidence. This circular recessed step light ensures every stair, walkway, or entry is safely illuminated. Its gentle, focused light helps reduce the risk of trips and missteps keeping both residents and visitors secure at night. Sophisticated yet robust, this fitting blends safety and style for reliable performance in any environment.









- Note: All dimensions in mm

FEATURES

- Die Cast Aluminium Housing
- Tempered Glass Lens
- Integral LED

24V Extra Low Voltage	Dimmable with PWM driver
2700K Colour Temp	2W Consumption
IP65 Outdoor Rated	IK10 Impact Protection
UV Stabilised	Vandal Resistant

Product Code	Beam Angle
LS-SL-BL-B	50º Beam Angle



+61 (7) 3254 4333

sales@fireflylighting.com.au

www.fireflylighting.com.au

9/29 Links Ave North, Eagle Farm, QLD, 4009